

## 令和2年度 降下ばいじん測定結果

単位 [t/km<sup>2</sup>・月]

地点名	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	平均	年平均値 の目標値
松原	2.1	3.1	6.6	[4.8]	[1.3]	5.1	1.3	[0.9]	[1.1]	4.3	3.4	2.0	3.0	8.0以下
神田	2.0	2.4	6.8	[4.6]	[1.4]	4.0	1.3	[1.1]	[1.4]	4.6	5.6	2.3	3.1	8.0以下
港	2.4	4.5	10.3	[3.8]	1.6	6.5	2.3	[1.6]	[1.8]	5.8	5.3	4.2	4.2	8.0以下
富久	1.8	2.7	4.7	[6.1]	1.1	4.6	1.1	[0.9]	[1.4]	5.0	2.8	1.9	2.8	8.0以下
南原	2.3	2.6	6.2	[4.7]	[0.3]	3.7	1.1	0.9	[1.3]	4.5	2.9	1.4	2.7	8.0以下
城南	2.0	4.6	3.7	[2.7]	1.0	3.1	1.1	1.2	[1.8]	5.0	3.1	0.5	2.5	8.0以下
新津	1.7	2.3	5.4	[3.7]	[0.7]	4.1	0.9	[0.7]	[1.4]	5.0	3.0	1.4	2.5	8.0以下
白石	1.3	0.5	5.5	[2.0]	[0.8]	6.4	0.9	[0.5]	[1.3]	3.9	2.6	1.1	2.2	8.0以下
二崎	1.5	1.7	4.6	[2.1]	[0.7]	6.3	1.1	[0.7]	[1.2]	3.4	3.2	1.1	2.3	8.0以下
片島	2.3	1.6	3.3	[2.6]	[0.6]	3.2	0.7	[0.6]	[1.3]	3.7	3.1	1.2	2.0	8.0以下
鋤崎	1.9	2.8	4.2	[2.2]	[0.7]	2.6	0.5	[0.5]	[1.1]	5.0	3.5	1.3	2.2	8.0以下
幸町	3.2	3.8	8.0	[2.0]	1.8	5.6	1.5	[0.9]	[1.8]	5.4	4.6	3.0	3.5	8.0以下
平均	2.0	2.7	5.8	4.0	1.4	4.6	1.2	[1.1]	[1.4]	4.6	3.6	1.8	2.8	8.0以下